

CALYFIX 2,4 - D SP

Distributed by: Harvest Chemicals
Registration Holder/Registrasiehouer Harvest Crop Solutions (Pty)Ltd.
Reg.No. 2014/187205/07
25 Dan Pienaar Road, Kloof, 3610 • Tel: +27 (0) 31 764 6315
Poison Helpline: 085 155 5777

HARVEST
CHEMICALS



A water soluble plant growth regulator for keeping the Calyfix green and so preventing abscission which in turn limits the penetration of latent fungisporos of Diplodia and Anthracnose.

'n Wateroplosbare plant-groeireguleerder vir die groenhouding en voorkoming van afspeen van die blomkelk op sitrusvrugte watpenetrasie deur latente swamspore van Diplodia en Antraknose beperk.

Batch No	Reg. No. L 9685, Act No 36 of 1947.		Reg Nr L9685, Wet Nr. 36 van 1947		Lot Nr
	PLANT GROWTH REGULATOR	UN 3077	PGR GROEP KODE		
Date of manufacture	Active Ingredient: 2,4 Sodium Salt	500g	Aktiewe Bestandeel: 2,4 Natrium Salt	Vervaardigingsdatum	
	Nett Volume (Sachet)	50g	Netto Volume (Sakkie)		



HARMFUL
SKADELIK

WARNINGS

- Handle with extreme care.
- Store under lock and key away from food and feedstuffs, seed and other agricultural chemicals.
- Poisonous by swallowing, inhalation and skin contact.
- Can be irritating to eyes, nose, throat and skin.
- Keep out of reach of children, uninformed persons and animals.
- Store in a cool place (20°C).
- Do not handle the treated fruit until the spray deposit has dried unless wearing protective clothing.
- In case of poisoning call a doctor and show this label to him/her.

Although this remedy has been extensively tested under a large variety of conditions the registration holder does not warrant that it will be efficacious under all conditions because the actions and effect thereof may be affected by factors such as abnormal soil, climatic and storage conditions; quality of dilution water; compatibility with other substance not indicated on the label and occurrence of resistance against the remedy concerned as well by the method, time and accuracy of application. The registration holder furthermore does not accept responsibility for damage to crops, vegetation, the environment or harm to man or animal or for lack of performance of the remedy concerned due to failure of the user to follow the label instructions or to the occurrence of conditions which could not have been foreseen in terms of the registration. Consult the supplier in event of any uncertainty.

PRECAUTIONS

- Wear a face shield and protective clothing (overall, rubber boots, gloves and a respirator) during mixing the concentrate.
- Do not inhale fumes or spray mist.
- After use or in case of accidental skin contact, wash thoroughly with soap and water.
- Wash contaminated clothing.
- Do not eat, drink or smoke while mixing or applying or before washing hands and face and change of clothing after use.
- Prevent contamination of food, feedstuff, eating utensils and drinking water.

SYMPTOMS OF HUMAN POISONING

Coughing, dizziness, temporary loss of muscle co-ordination, fatigue and possible nausea.

FIRST AID

Skin contact: wash thoroughly with soap and water.

Eye Contact: flush eyes with clean water for at least 15 minutes. Get medical attention.

Inhalation: remove patient to fresh air.

Ingestion: induce vomiting.

NOTE TO PHYSICIAN

There is no antidote. Treat symptomatically.

USE RESTRICTIONS

Use only as directed. Refer to RECOMMENDED USAGE RESTRICTIONS FOR PLANT PROTECTION PRODUCTS ON SOUTHERN AFRICAN EXPORT CITRUS of the CRI with regards to MRL's for different markets.

DIRECTIONS FOR USE – Use only as directed

MIXING INSTRUCTIONS

Drench, fungicide bath and wax: pre-mix the required quantity of **Calyfix 2,4-D SP** with a small volume of clean water and add to the drench or fungicide bath.

COMPATIBILITY

Calyfix 2,4-D SP is compatible with most post-harvest products. Always first conducted a physical small scale compatibility test before large scale treatment. Contact the supplier regarding compatibility with other products.

APPLICATION

Apply in a drench or fungicide tank and/or wax as indicated.

Apply within 12 hours after picking for best results.

Crop / Pest	Dosage	Remarks
CITRUS: Drench and fungicide bath application Wax application	50g/100 ℓ of water	REFER TO MRL'S FOR DIFFERENT MARKETS Do not exceed the recommended dosage.
	50g/100 ℓ of wax	